


AIRSTREAM






2006 AIRSTREAM FLOORPLANS & SPECIFICATIONS

SAFARI



Safari Bambi 16'




Safari Bambi 19'



Safari 22'



Safari 23'



Safari 25' FB

Safari	16'	19'	22'	23'	25'FB	25'	25'ss	28'	28's/o	30'
Exterior length	16'7"	19'2"	22'4"	23'	25'11"	25' 11"	25' 11"	27'11"	28'11"	30'10"
Width exterior	8'	8'	8'	8'	8'5-1/2"	8'5-1/2"	8'5-1/2"	8'5-1/2"	8'5-1/2"	8'5-1/2"
Width interior	7'7"	7'7"	7'7"	7'7"	8'1"	8'1"	8'1"	8'1"	8'1"	8'1"
Height exterior with A/C	9'4"	9'5"	9'4"	9'5"	9'7"	9'7"	9'7"	9'7"	9'7"	9'7"
Height interior with A/C	6'4-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"	6'3-1/2"
Hitch ball height	18"	17-3/4"	18"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"	17-3/4"
Hitch weight w/o options	390	480	510	TBD	720	860	750	830	1,010	850
UBW (lbs)	2,950	3,680	4,160	TBD	5,210	5,065	5,380	5,495	6,515	6,215
NCC without options, fluids or cargo (lbs)	550	820	1,440	TBD	2,090	1,935	1,920	1,805	2,585	2,185
GVWR (lbs)	3,500	4,500	5,600	5,600	7,300	7,000	7,300	7,300	9,100	8,400
Water tank with drain valve	23	23	30	30	39	39	39	39	54	39
Black water tank (gal)	N/A	18	21	18	39	33	18	35	39	18
Gray water tank (gal)	N/A	21	21	21	37	39	39	37	37	39
Combination black & gray tank	21	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
Water heater (gal) with electronic ignition	6	6	6	6	6	8	6	6	6	6
A/C with heat strip (BTU)	OPT	11,000	11,000	11,000	11,000	11,000	11,000	13,500	13,500	13,500
Furnace with electric ignition (BTU)	12,000	16,000	16,000	16,000	25,000	25,000	25,000	30,000	30,000	30,000
LPG (lbs)	20	30 (2)	20	30 (2)	30 (2)	30 (2)	30 (2)	30 (2)	30 (2)	30 (2)
Deep cycle battery	1	2	1	2	2	2	2	2	2	2
Sleeping capacity	3	3-4	3	4-5	4	4	5-6	5	5	5-8